



# 401 BALLISTIC HELMET

## ACH/MICH HELMET

LEVEL IIIA ADVANCED  
COMBAT HELMET

The 401 advanced combat helmet is designed for patrol operations when ballistic head protection is required. The helmet is tested to NIJ 0106.01 including Frag protection according to MilStd 662f. Available with or without tactical add-ons and in high and full cut configurations.

**PROTECTION** NIJ Level IIIA + Fragmentation

**MATERIALS** Para-Aramid

**TRIM** High Cut + Full Cut

**OPTIONS** Harness, Rails, Shroud, Velcro

**WARRANTY** 5 years on ballistic performance



LIGHTWEIGHT



BUILT-IN  
COMFORT



FRAGMENTATION  
PROTECTION



TACTICAL  
ADD-ONS



### TECHNICAL SPECIFICATION

| CARTRIDGE   | PROJECTILE   | VEL (FT/S ± 30) | VEL (M/S ± 9) |
|-------------|--------------|-----------------|---------------|
| 9mm         | 124 gr FMJ   | 1430            | 436           |
| 40 S&W      | 180 gr FMJ   | 1155            | 352           |
| .357 Sig    | 125 gr FMJ   | 1470            | 448           |
| .357 Magnum | 158 gr JSP   | 1430            | 436           |
| .44 Magnum  | 240 gr SWCGC | 1430            | 436           |
| V50         | 17 gr        | 2244            | 684           |

### SIZE & WEIGHT CHART

| SIZE | TRIM     | WEIGHT            | CIRCUMFERENCE  |
|------|----------|-------------------|----------------|
| S    | Full Cut | 2.8 lbs / 1.27 kg | 20.9" to 21.7" |
| S    | High Cut | 2.5 lbs / 1.13 kg | 20.9" to 21.7" |
| M    | Full Cut | 2.9 lbs / 1.31 kg | 21.7" to 22.4" |
| M    | High Cut | 2.6 lbs / 1.17 kg | 21.7" to 22.4" |
| L    | Full Cut | 3.2 lbs / 1.45 kg | 22.4" to 23.3" |
| L    | High Cut | 2.9 lbs / 1.31 kg | 22.4" to 23.3" |
| XL   | Full Cut | 3.4 lbs / 1.54 kg | 23.3" to 24.5" |
| XL   | High Cut | 3.1 lbs / 1.40 kg | 23.3" to 24.5" |

### COLOURS



BLACK

TAN

OD GREEN



AVAILABLE WITH ISOFIT  
HEMISpherical MICRO  
ADJUSTMENT SYSTEM

**ISOFIT**®

DISCLAIMER: The information contained in this specification is intended solely to provide general guidance. The right is reserved to make changes to this specification without notice at any time. Nothing in this specification (i) constitutes an offer, representation, warranty, term or condition or (ii) is a substitute for the need to employ adequate independent technical expertise and judgment.

